






第25回渡辺杯 フライトB Session 3 Flight B 2017年3月26日(日)

23




| N-S | E-W | Contract | N-S | E-W    | MP[%] |
|-----|-----|----------|-----|--------|-------|
| 1   | 33  | 4Hx W 5  |     | 990    | 2.63  |
| 3   | 39  | 4H W 5   |     | 650    | 18.42 |
| 5   | 14  | 4H W 4   |     | 620    | 42.11 |
| 6   | 37  | 2C S 5   | 150 | 100.00 |       |
| 8   | 10  | 4H W 5   |     | 650    | 18.42 |
| 9   | 26  | 4H W 4   |     | 620    | 42.11 |
| 11  | 20  | 3H W 4   |     | 170    | 81.58 |
| 12  | 30  | 4H W 4   |     | 620    | 42.11 |
| 17  | 15  | 4H W 5   |     | 650    | 18.42 |
| 18  | 13  | 3H W 4   |     | 170    | 81.58 |
| 21  | 32  | 4H W 4   |     | 620    | 42.11 |
| 23  | 40  | 4H W 5   |     | 650    | 18.42 |
| 24  | 29  | 4Hx W 5  |     | 990    | 2.63  |
| 25  | 2   | 4H W 4   |     | 620    | 42.11 |
| 27  | 4   | 3H W 4   |     | 170    | 81.58 |
| 28  | 16  | 3H W 4   |     | 170    | 81.58 |
| 31  | 19  | 3H W 4   |     | 170    | 81.58 |
| 35  | 22  | 2H W 4   |     | 170    | 81.58 |
| 36  | 7   | 2H W 5   |     | 200    | 60.53 |
| 38  | 34  | 2H W 5   |     | 200    | 60.53 |

25




| N-S | E-W | Contract | N-S | E-W | MP[%]  |
|-----|-----|----------|-----|-----|--------|
| 2   | 34  | 3NT N-1  |     | 50  | 0.00   |
| 3   | 29  | 2H W-2   | 200 |     | 89.47  |
| 4   | 37  | 1NT N 2  | 120 |     | 60.53  |
| 5   | 18  | 3D S 3   | 110 |     | 34.21  |
| 6   | 17  | 3D S 3   | 110 |     | 34.21  |
| 7   | 9   | 1NT N 4  | 180 |     | 84.21  |
| 8   | 35  | 1NT N 2  | 120 |     | 60.53  |
| 10  | 39  | 1NT N 2  | 120 |     | 60.53  |
| 11  | 15  | 1NT N 5  | 210 |     | 94.74  |
| 12  | 22  | 2C N 2   | 90  |     | 13.16  |
| 13  | 25  | 2C N 2   | 90  |     | 13.16  |
| 14  | 27  | 2C N 2   | 90  |     | 13.16  |
| 19  | 16  | 1NT N 2  | 120 |     | 60.53  |
| 21  | 28  | 3NT S 4  | 430 |     | 100.00 |
| 23  | 32  | 2C N 2   | 90  |     | 13.16  |
| 24  | 1   | 3D S 4   | 130 |     | 78.95  |
| 26  | 31  | 1NT N 2  | 120 |     | 60.53  |
| 30  | 33  | 1NT N 2  | 120 |     | 60.53  |
| 36  | 40  | 2D S 3   | 110 |     | 34.21  |
| 38  | 20  | 3D S 3   | 110 |     | 34.21  |

26




| N-S | E-W | Contract | N-S | E-W | MP[%] |
|-----|-----|----------|-----|-----|-------|
| 2   | 34  | 4H S 5   |     | 650 | 84.21 |
| 3   | 29  | 4H S 5   |     | 650 | 84.21 |
| 4   | 37  | 4H S 4   |     | 620 | 55.26 |
| 5   | 18  | 4H S-1   | 100 |     | 21.05 |
| 6   | 17  | 4H S 4   |     | 620 | 55.26 |
| 7   | 9   | 4H S 4   |     | 620 | 55.26 |
| 8   | 35  | 5H S 5   |     | 650 | 84.21 |
| 10  | 39  | 4H S-1   | 100 |     | 21.05 |
| 11  | 15  | 4H S-1   | 100 |     | 21.05 |
| 12  | 22  | 4H S 5   | 650 |     | 84.21 |
| 13  | 25  | 4H S-1   | 100 |     | 21.05 |
| 14  | 27  | 4H S 5   |     | 650 | 84.21 |
| 19  | 16  | 4H S 5   |     | 650 | 84.21 |
| 21  | 28  | 4H S 5   |     | 650 | 84.21 |
| 23  | 32  | 2S N 4   | 170 |     | 42.11 |
| 24  | 1   | 4H S-2   | 200 |     | 0.00  |
| 26  | 31  | 4H S-1   | 100 |     | 21.05 |
| 30  | 33  | 6H N-1   | 100 |     | 21.05 |
| 36  | 40  | 4H S 4   |     | 620 | 55.26 |
| 38  | 20  | 4H S-1   | 100 |     | 21.05 |

27




| N-S | E-W | Contract | N-S | E-W | MP[%]  |
|-----|-----|----------|-----|-----|--------|
| 2   | 34  | 3S W 3   |     | 140 | 92.11  |
| 3   | 29  | 4S W-1   | 50  |     | 100.00 |
| 4   | 37  | 4S W 5   |     | 450 | 26.32  |
| 5   | 18  | 3S W 5   |     | 200 | 76.32  |
| 6   | 17  | 2S W 6   |     | 230 | 68.42  |
| 7   | 9   | 5Hx N-3  |     | 500 | 0.00   |
| 8   | 35  | 3S W 3   |     | 140 | 92.11  |
| 10  | 39  | 4S W 5   |     | 450 | 26.32  |
| 11  | 15  | 4S W 4   |     | 420 | 55.26  |
| 12  | 22  | 4S W 5   |     | 450 | 26.32  |
| 13  | 25  | 4S W 4   |     | 420 | 55.26  |
| 14  | 27  | 4S W 5   |     | 450 | 26.32  |
| 19  | 16  | 3S W 5   |     | 200 | 76.32  |
| 21  | 28  | 4S W 4   |     | 420 | 55.26  |
| 23  | 32  | 4S W 5   |     | 450 | 26.32  |
| 24  | 1   | 4S W 6   |     | 480 | 5.26   |
| 26  | 31  | 2S W 4   |     | 170 | 84.21  |
| 30  | 33  | 4S W 5   |     | 450 | 26.32  |
| 36  | 40  | 4S W 5   |     | 450 | 26.32  |
| 38  | 20  | 4S W 4   |     | 420 | 55.26  |

28




| N-S | E-W | Contract | N-S | E-W | MP[%] |
|-----|-----|----------|-----|-----|-------|
| 2   | 34  | 4H S 4   |     | 620 | 50.00 |
| 3   | 29  | 4H S 4   |     | 620 | 50.00 |
| 4   | 37  | 3Dx E-2  | 300 |     | 2.63  |
| 5   | 18  | 4H S 4   |     | 620 | 50.00 |
| 6   | 17  | 4H S 4   |     | 620 | 50.00 |
| 7   | 9   | 4H S 4   |     | 620 | 50.00 |
| 8   | 35  | 4H S 4   |     | 620 | 50.00 |
| 10  | 39  | 4H S 4   |     | 620 | 50.00 |
| 11  | 15  | 4H S 4   |     | 620 | 50.00 |
| 12  | 22  | 4H S 4   |     | 620 | 50.00 |
| 13  | 25  | 4H S 4   |     | 620 | 50.00 |
| 14  | 27  | 4H S 4   |     | 620 | 50.00 |
| 19  | 16  | 4H S 4   |     | 620 | 50.00 |
| 21  | 28  | 4H S 4   |     | 620 | 50.00 |
| 23  | 32  | 5Dx E-4  | 800 |     | 97.37 |
| 24  | 1   | 4H S 4   |     | 620 | 50.00 |
| 26  | 31  | 3Dx E-2  | 300 |     | 2.63  |
| 30  | 33  | 4H S 4   |     | 620 | 50.00 |
| 36  | 40  | 5Dx E-4  | 800 |     | 97.37 |
| 38  | 20  | 4H S 4   |     | 620 | 50.00 |

29




| N-S | E-W | Contract | N-S  | E-W | MP[%]  |
|-----|-----|----------|------|-----|--------|
| 2   | 34  | 3NT N 4  |      | 630 | 52.63  |
| 3   | 29  | 6D N 7   | 1390 |     | 100.00 |
| 4   | 37  | 5C N 6   |      | 620 | 26.32  |
| 5   | 18  | 5D N 6   |      | 620 | 26.32  |
| 6   | 17  | 5D N 6   |      | 620 | 26.32  |
| 7   | 9   | 3NT N 5  |      | 660 | 71.05  |
| 8   | 35  | 5D N 6   |      | 620 | 26.32  |
| 10  | 39  | 3NT N 5  |      | 660 | 71.05  |
| 11  | 15  | 5C N 6   |      | 620 | 26.32  |
| 12  | 22  | 6D N 6   | 1370 |     | 89.47  |
| 13  | 25  | 5D N 6   |      | 620 | 26.32  |
| 14  | 27  | 6C N 6   | 1370 |     | 89.47  |
| 19  | 16  | 3NT N 3  |      | 600 | 2.63   |
| 21  | 28  | 6C N 6   | 1370 |     | 89.47  |
| 23  | 32  | 5D N 6   |      | 620 | 26.32  |
| 24  | 1   | 3NT N 4  |      | 630 | 52.63  |
| 26  | 31  | 3NT N 3  |      | 600 | 2.63   |
| 30  | 33  | 3NT N 5  |      | 660 | 71.05  |
| 36  | 40  | 3NT N 4  |      | 630 | 52.63  |
| 38  | 20  | 3NT S 5  |      | 660 | 71.05  |

30



| N-S | E-W | Contract | N-S | E-W | MP[%] |
|-----|-----|----------|-----|-----|-------|
| 2   | 34  | 2D N 4   |     | 130 | 13.16 |
| 3   | 29  | 2NT N 3  |     | 150 | 34.21 |
| 4   | 37  | 3NT N 3  |     | 400 | 63.16 |
| 5   | 18  | 3NT S 3  |     | 400 | 63.16 |
| 6   | 17  | 3D N 4   |     | 130 | 13.16 |
| 7   | 9   | 3NT S 4  |     | 430 | 92.11 |
| 8   | 35  | 3NT N 3  |     | 400 | 63.16 |
| 10  | 39  | 3D N 4   |     | 130 | 13.16 |
| 11  | 15  | 3NT N 3  |     | 400 | 63.16 |
| 12  | 22  | 3NT N 4  |     | 430 | 92.11 |
| 13  | 25  | 2NT N 3  |     | 150 | 34.21 |
| 14  | 27  | 4D N 4   |     | 130 | 13.16 |
| 19  | 16  | 3NT N 3  |     | 400 | 63.16 |
| 21  | 28  | 4D N 4   |     | 130 | 13.16 |
| 23  | 32  | 2D N 4   |     | 130 | 13.16 |
| 24  | 1   | 3NT N 3  |     | 400 | 63.16 |
| 26  | 31  | 3NT N 4  |     | 430 | 92.11 |
| 30  | 33  | 3NT S 4  |     | 430 | 92.11 |
| 36  | 40  | 2NT N 4  |     | 180 | 42.11 |
| 38  | 20  | 3NT N 3  |     | 400 | 63.16 |

31



| N-S | E-W | Contract | N-S | E-W | MP[%]  |
|-----|-----|----------|-----|-----|--------|
| 2   | 34  | 4H W-1   | 50  |     | 100.00 |
| 3   | 29  | 4H W 4   |     | 420 | 70.37  |
| 4   | 37  | 4H W 5   |     | 450 | 23.68  |
| 5   | 18  | 4H W 4   |     | 420 | 70.37  |
| 6   | 17  | 4H W 6   |     | 480 | 0.63   |
| 7   | 9   | 4H W 5   |     | 450 | 23.68  |
| 8   | 35  | 4H W 4   |     | 420 | 70.37  |
| 10  | 39  | 4H W 4   |     | 420 | 70.37  |
| 11  | 15  | 4H W 4   |     | 420 | 70.37  |
| 12  | 22  | 4H W 4   |     | 420 | 70.37  |
| 13  | 25  | 4H W 4   |     | 420 | 70.37  |
| 14  | 27  | 4H W 5   |     | 450 | 23.68  |
| 19  | 16  | 4H W 5   |     | 450 | 23.68  |
| 21  | 28  | 4H W 4   |     | 420 | 70.37  |
| 23  | 32  | 4H W 5   |     | 450 | 23.68  |
| 24  | 1   | 4H W 4   |     | 420 | 70.37  |
| 26  | 31  | 4H W 5   |     | 450 | 23.68  |
| 30  | 33  | Weighted |     |     | 29.58  |
| 36  | 40  | 4H W 4   |     | 420 | 70.37  |
| 38  | 20  | 4H W 5   |     | 450 | 23.68  |